

Classification of AGC Security glass

Product description

Product range: **Thermobel Stratobel Security Bullet**

Product code: **7206-1-B**

Thickness (mm): 57

Weight (kg/m²): 113

Standard reference according EN 14449:2015 / Classification

| | | | |
|-----------|--------------------|------------|----------------|
| Type: | Injuries and Falls | Break-ins | Bullet Attacks |
| Standard: | EN 12600 | EN 356 | EN 1063 |
| Class: | 1B1 | P8B | BR4-NS |

Test reference

| | | | |
|----------------|-------------|------------|-----------------|
| Laboratory: | INISMa | IKATES | Beschussamt Ulm |
| Date: | 10/2008 | 03/2018 | 07/2008 |
| Report number: | SEC 5053-2a | 11C / 2018 | S 08 0105 01 |

The indicated performances are representative of glazing tested following the conditions, dimensions and requirements of the standard.

The effective thickness of the glass to use must also fulfill with the effective dimensions, setting system and loads on the glazing.

In case of dissymmetric laminated glass, the glass must be correctly orientated.

The frame must have the same performance as the glass according to EN 1522 / EN 1523 in order to reach a performant final product.

Louvain-La-Neuve, 13th of April 2018



Ir. Hugues Lefèvre
Product Manager Laminated Glass

AGC Glass Europe SA
Avenue Jean Monnet 4
B-1348 Louvain-La-Neuve