



DECLARATION OF CONFORMITY

We

AGC GLASS EUROPE
Building Division
Avenue Jean Monnet, 4
BE 1348 Louvain-La-Neuve
Tel. : +32 2 409 30 00
Fax : +32 2 672 44 62

declare under our sole responsibility that the product:

LACOBEL / MATELAC 4, 5 & 6 mm silicone glued¹ on a support² All colours of the Lacobel / Matelac³ range

¹ The product is fixed onto the substrate using AGC FIX-IN PR, AGC FIX-IN SL and AGC FIX-IN AT in the amounts as described in their respective technical data sheets. Joints: with or without horizontal and vertical joints of 3-4mm filled with AGC FIX-IN SL.

² The painted side is glued on any substrate with a fire performance A2-s1,d0 or better with a density at least 525 kg/m³ and a thickness at least 12 mm.

³ with the exception of Matelac Silver Clear, Clearvision, Bronze and Grey

to which this declaration relates is in conformity with the European standard EN 13501-1

CLASSIFICATION: B-s1,d0

The conformity of this product to the above mentioned standard is ensured by a report certified by an independent institute, Warringtonfiregent with reference 16404C & F.

Louvain-La-Neuve, June 7, 2016

A handwritten signature in black ink, appearing to read 'T. Riese', with a long horizontal line extending to the right.

Tomas RIESE
Product Manager Decorative Products
Building Division

This document conforms the European Standard EN ISO/CEI 17050-1.