



## DECLARATION OF CONFORMITY

We

**AGC GLASS EUROPE**  
**Building Division**  
Avenue Jean Monnet, 4  
BE 1348 Louvain-La-Neuve  
Tel. : +32 2 409 30 00  
Fax : +32 2 672 44 62

declare under our sole responsibility that the product:

### **LACOBEL SAFE+ / MATELAC SAFE+ 4, 5 & 6 mm silicone glued<sup>1</sup> on a support<sup>2</sup> All colours of the Lacobel / Matelac<sup>3</sup> range**

<sup>1</sup> The product is fixed onto the substrate using AGC FIX-IN PR, AGC FIX-IN SL and AGC FIX- IN AT in the amounts as described in their respective technical data sheets. Joints: with or without horizontal and vertical joints of 3-4mm filled with AGC FIX-IN SL.

<sup>2</sup> The painted side is glued on any substrate with a fire performance A2-s1,d0 or better with a density at least 525 kg/m<sup>3</sup> and a thickness at least 12 mm.

<sup>3</sup> with the exception of Matelac Silver Clear, Clearvision, Bronze and Grey

to which this declaration relates is in conformity with the European standard EN 13501-1

#### **CLASSIFICATION: B-s1,d0**

The conformity of this product to the above mentioned standard is ensured by a report certified by an independent institute, Warringtonfiregent with reference 16404C & F.

Louvain-La-Neuve, November 21, 2014

Tomas RIESE  
Product Manager Decorative Products  
Building Division

This document conforms the European Standard EN ISO/CEI 17050-1.