



## DECLARATION OF CONFORMITY

We

**AGC GLASS EUROPE**  
**Building Division**  
Avenue Jean Monnet, 4  
BE 1348 Louvain-La-Neuve  
Tel. : +32 2 409 30 00  
Fax : +32 2 672 44 62

declare under our sole responsibility that the product:

**MIROX MNGE SAFE +  
MATELAC Silver Clear / Clearvision / Bronze / Grey  
SAFE+  
4, 5 & 6 mm silicone glued<sup>1</sup> on a support<sup>2</sup>**

<sup>1</sup> The product is fixed onto the substrate using AGC FIX-IN PR, AGC FIX-IN SL and AGC FIX-IN AT in the amounts as described in their respective technical data sheets. Joints: with or without horizontal and vertical joints of 3-4mm filled with AGC FIX-IN SL.

<sup>2</sup> The painted side is glued on any substrate with a fire performance A2-s1,d0 or better with a density at least 525 kg/m<sup>3</sup> and a thickness at least 12 mm.

to which this declaration relates is in conformity with the European standard EN 13501-1

**CLASSIFICATION: B-s1,d0**

The conformity of this product to the above mentioned standard is ensured by a report certified by an independent institute, Warringtonfiregent with reference 16404E & F.

Louvain-La-Neuve, November 21, 2014

Tomas RIESE  
Product Manager Decorative Products  
Building Division

This document conforms the European Standard EN ISO/CEI 17050-1.