

## **DECLARATION OF CONFORMITY**

We

## AGC GLASS EUROPE Building Division

Avenue Jean Monnet, 4 BE 1348 Louvain-La-Neuve Tel.: +32 2 409 30 00

Fax: +32 2 672 44 62

declare under our sole responsibility that the product:

## LACOBEL SAFE+ / MATELAC SAFE+ 4, 5 & 6 mm silicone glued<sup>1</sup> on a support<sup>2</sup> All colours of the Lacobel / Matelac<sup>3</sup> range

<sup>1</sup> The product is fixed onto the substrate using AGC FIX-IN SA, AGC FIX-IN PR, AGC FIX-IN SL and AGC FIX- IN AT in the amounts as described in their respective technical data sheets. Joints: with or without horizontal and vertical joints of 3-4mm filled with AGC FIX-IN SL.

<sup>2</sup> The painted side is glued on any substrate with a fire performance A2-s1,d0 or better with a density at least 525 kg/m³ and a thickness at least 12 mm.

<sup>3</sup> with the exception of Matelac Silver Clear, Clearvision, Bronze and Grey

to which this declaration relates is in conformity with the European standard EN 13501-1

**CLASSIFICATION: B-s1,d0** 

The conformity of this product to the above mentioned standard is ensured by a report certified by an independent institute, Warringtonfiregent with reference 16404C & F.

Louvain-La-Neuve, March 4, 2020



Sandra JARRIGE Product Manager Decorative Products Building Division

This document conforms the European Standard EN ISO/CEI 17050-1.